



COLLECTION




100X
300MM | GLOSSY
FINISH



COLLECTION


100X
300MM | Glossy
Finish



BOAT **ALOE**



BOAT **CARAMEL**



BOAT **DUNE**



BOAT **GALASSIA**



BOAT **ICE**




BOAT **KIWI**



BOAT **NAVY**





COLLECTION



CHEMICAL
RESISTANCE



SCRATCH
RESISTANCE



THERMIC IMPACT
RESISTANCE



FROST
PROOF



ABSORPTION
RESISTANCE



EASY
TO INSTALL



STAIN
RESISTANCE




EASY TO
CLEAN



ECOLOGICAL





**BO
AT**
COLLECTION

BOAT ALOE


100x300mm
GLOSSY



BO
AT

COLLECTION







**BO
AT**
COLLECTION


BOAT CARAMEL

100x300mm
GLOSSY



BO
ΔT
COLLECTION






**BO
ΔT**
COLLECTION


BOAT DUNE

100x300mm
GLOSSY



BO
ΔT
COLLECTION





**BO
AT**
COLLECTION

BOAT GALASSIA

100x300mm
GLOSSY



BO
AT
COLLECTION






**BO
ΔT**
COLLECTION


BOAT ICE

100x300mm
GLOSSY



**BO
AT**
COLLECTION





**BO
ΔT**
COLLECTION


BOAT KIWI


100x300mm
GLOSSY



BO
AT

COLLECTION





**BO
AT**
COLLECTION

BOAT NAVY

100x300mm
GLOSSY



BO
AT

COLLECTION



TECHNICAL SPECIFICATION

| CHARACTERISTICS | EURO STANDARD | OUR VALUE |
|--|-----------------------|-----------------------|
| DIMENSION & SURFACE QUALITY | | |
| Dimension & Surface Quality | ± 0.5% | ± 0.5% |
| Deviation in thickness | ± 0.6% | ± 0.6% |
| Straightness of sides | ± 0.3% | ± 0.3% |
| Rectangularity | ± 0.5% | ± 0.5% |
| Surface Flatness | ± 0.5% | ± 0.5% |
| Surface Quality | ± Min 95% | ± Min 95% |
| PHYSICAL PROPERTIES | | |
| Water Absorption | > 10 % | > 10 % |
| Bend Strength | > 150Kg./Cm | > 150Kg./Cm |
| Scratch Hardness (Moh's) | Min 3 | Min 3 |
| Crazing | 1 Cycle | 1 Cycle |
| CHEMICAL PROPERTIES | | |
| Staining Resistance | Min Class 2 | Min Class 2 |
| Household Chemical | Min Class B | Min Class B |
| THERMAL PROPERTIES | | |
| Thermal Shock | Resistant to 10 Cycle | Resistant to 10 Cycle |
| Thermal Expansion | Max-9E-06 | Max-9E-06 |

PACKING DETAILS

| DIMENSION | TILES PER BOX (PCS.) | AREA COVERAGE PER BOX(SQ.FT.) APPROX | AREA COVERAGE PER BOX(SQ.MT.) APPROX | WEIGHT PER BOX(KG.) APPROX | THICKNESS(MM) APPROX |
|-----------|----------------------|--------------------------------------|--------------------------------------|----------------------------|----------------------|
| 100x300mm | 33 | 10.66 | 0.99 | 13.20 | 8.00 |

Note :

Size/shade variation is inherent in ceramic tiles, in case of any complain its should be brought to our dealer's notice before laying the tiles

Color Shown are indicative only. Check actual tiles for exact color.

The information contained in this catalogue are accurate as possible, but cannot be contained as legally binding.

Customers are advised to inspect a sample of the tiles before ordering.

The company reserved the right to change the specification without prior notice.

APPLICATION

| | | | | | | | |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| HOSPITAL | MALL | RELIGIOUS PLACE | THEATER | HOUSE | DISCOTHEQUE | AIRPORT | CAFÉ / BAR |

