




Regional to Global




Master Catalog

Home Appliances & Electricals Products



ਜਾਵਿਂਗ ਮੈਂ ਭਾਵੋਕਸੇਮਂਡ ਜਾਥੀ...



REVIVE.
REFRESH.
ENERGY.



TRIPLE SHIELD

PROTECTION FROM HARD WATER



 It Protects The Tank From Corrosion With The Help Of Advanced Coating Developed By Baking The Tank Above To 875°C Allowing Tank To Function In Tough Conditions Of Hard Water

 Acts As A Safeguard & Protects The Tank From Corrosion

 33% Extra long life as it has excellent oxidation resistance even in high temperature and thus has anti scaling property



 Smart energy management
Smart design with Standby cut off that consumes less electricity

 8 bar pressure
Suitable for high-rise buildings

 Extra safe
Precision sensing device with capillary type thermostat and thermal cut out that keeps all parameters in check for protection against electric shocks and auto-off function in case of malfunction

 5 star rated energy efficient
High Grade Eco-friendly Puf insulation ensures high heat retention and thus reducing your electricity bills

QUBIC

Available In: 20 / 30 LTR.
Wattage: 2000W

 Superior Glassline coating

 Incoloy heating element

 Shock & Rust Proof ABS Body

 Advanced 3 level precision safety

 Energy saving Insulated PUF

 8 Bar pressure

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
CT-20	20	395x355x420	520x465x440	7.4	9.9
CT-30	30	460x395x486	575x510x455	9.3	12.0

*T&C APPLY



Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
CT-10	10	315x345x390	385x365x440	6.6	7.9
CT-20	20	315x345x470	385x365x530	8.0	9.7
CT-30	30	360x385x530	420x405x590	10.2	11.0
CT-50	50	440x470x645	725x495x550	15.5	18.2

- Smart energy management**
Smart design with Standby cut off that consumes less electricity
- 8 bar pressure**
Suitable for high-rise buildings
- Extra safe**
Precision sensing device with capillary type thermostat and thermal cut out that keeps all parameters in check for protection against electric shocks and auto-off function in case of malfunction
- 5 star rated energy efficient**
High Grade Eco- friendly Puf insulation ensures high heat retention and thus reducing your electricity bills

CANTON

Available In:
10 / 20 / 30 / 50 LTR.
Wattage: 2000W

- Superior Glassline coating**
- Incloy heating element**
- Premium Paint Finish**
- Advanced 3 level precision safety**
- Energy saving Insulated PUF**
- 8 Bar pressure**

STARCO PRIME

Available In:
30 / 50 / 80 / 100 / 120 LTR.
Wattage: 2000W / 3000W



Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
SCP-30	30	345x375x500	420x385x590	8.2	9.4
SCP-50	50	385x405x595	440x420x695	9.8	11.3
SCP-80	80	415x435x690	490x450x760	10.6	13.0
SCP-100	100	415x435x880	490x450x950	13.3	14.8
SCP-120	120	415x435x975	482x450x1054	15.8	17.4



Tank Coating

Tanks helps to Store Different Capacities of Hot Water Coating Prevents Tank Material from Getting Rust & Leakage



Thermostat & Thermal Cut Off

Provide safety to consumer, preventing water temperature exceeding desired limit



Powerful copper heating element

These water heaters have 1200 gm superior heating element for faster heating. Achieve 45°C temperature in 10 mins



Smart energy management

Smart design with Standby cut off that consumes less electricity



5 star rated energy efficient

High Grade Puff insulation ensures high heat retention, thus reducing your electricity bills

STARCO

Available In: 10 / 20 LTR.
Wattage: 2000W



Incloy heating element

Longer Tank Lifespan

Advanced 3 level precision safety

6.5 Bar pressure

Shock & Rust Proof Body

Auto Cut - Off

Swirl Flow Technology

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
SC-10	10	260x270x440	310x320x515	5.0	5.9
SC-20	20	315x355x430	385x360x555	6.3	7.7

Tank Coating

Tanks helps to Store Different Capacities of Hot Water Coating Prevents Tank Material from Getting Rust & Leakage

Thermostat & Thermal Cut Off

Provide safety to consumer, preventing water temperature exceeding desired limit



Powerful copper heating element

These water heaters have 1200 gm superior heating element for faster heating. Achieve 45°C temperature in 10 mins

Smart energy management

Smart design with Standby cut off that consumes less electricity

5 star rated energy efficient

High Grade Puff insulation ensures high heat retention, thus reducing your electricity bills

GLOSSY

Available In: 10 LTR.
Wattage: 2000W



Incloy heating element

Longer Tank Lifespan

Advanced 3 level precision safety

Shock & Rust Proof ABS Body

Auto Cut - Off

Swirl Flow Technology

6.5 Bar pressure

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
GS-10	10	280x310x450	310x320x515	4.8	5.7

Tank Coating

Tanks helps to Store Different Capacities of Hot Water Coating Prevents Tank Material from Getting Rust & Leakage

Thermostat & Thermal Cut Off

Provide safety to consumer, preventing water temperature exceeding desired limit

Thermostat & Thermal Cut Off

Provide safety to consumer, preventing water temperature exceeding desired limit

Smart energy management

Smart design with Standby cut off that consumes less electricity

5 star rated energy efficient

High Quality Glass Wool to Maintain Hot Water for Longer Duration, thus reducing your electricity bills



LOREX

Available In: 10 / 20 LTR.

Wattage: 2000W



- ⌚ Incoloy heating element
- ⌚ Longer Tank Lifespan
- 🛡 Advanced 3 level precision safety
- 🛡 Shock & Rust Proof Body
- 🔌 Auto Cut - Off
- ⌚ Swirl Flow Technology
- ⌚ 6.5 Bar pressure

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
LR-10	10	290x310x460	310x320x515	5.0	5.9
LR-20	20	315x350x440	410x385x550	6.3	7.6

Tank Coating

Tanks helps to Store Different Capacities of Hot Water Coating Prevents Tank Material from Getting Rust & Leakage

Thermostat & Thermal Cut Off

Provide safety to consumer, preventing water temperature exceeding desired limit



Powerful copper heating element

These water heaters have 1200 gm superior heating element for faster heating. Achieve 45°C temperature in 10 mins

Smart energy management

Smart design with Standby cut off that consumes less electricity

5 star rated energy efficient

High Grade Puff insulation ensures high heat retention, thus reducing your electricity bills

EVERSHINE

Available In: 20 / 30 LTR.

Wattage: 2000W



- ⌚ Incoloy heating element
- ⌚ Longer Tank Lifespan
- 🛡 Advanced 3 level precision safety
- 🛡 Shock & Rust Proof ABS Body
- 🔌 Auto Cut - Off
- ⌚ Swirl Flow Technology
- ⌚ 6.5 Bar pressure



Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
ES-20	20	330x365x460	405x385x550	5.8	7.0
ES-30	30	340x350x585	415x385x640	6.9	8.4

Tank Coating

Tanks helps to Store Different Capacities of Hot Water Coating Prevents Tank Material from Getting Rust & Leakage

Thermostat & Thermal Cut Off

Provide safety to consumer, preventing water temperature exceeding desired limit

Powerful copper heating element

These water heaters have 1200 gm superior heating element for faster heating. Achieve 45°C temperature in 10 mins

Smart energy management

Smart design with Standby cut off that consumes less electricity

5 star rated energy efficient


High Quality Glass Wool to Maintain Hot Water for Longer Duration, thus reducing your electricity bills

Ye Shirf Hot Nahi, Instant #HOTTHAI



SUPIDO

Available In: 5.5 LTR. | Wattage: 3000W



Incloy heating element

Longer Tank Lifespan

Advanced 3 level precision safety

Shock & Rust Proof Body

Auto Cut - Off

Swirl Flow Technology

6.5 Bar pressure

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
SP-5.5	5.5	240X230X425	290X275X500	3.5	4.5



Ultrathin Special Tank

Featuring a high-grade 304L Stainless Steel tank with a no weld line which reduces the chances of tank leakage thus providing longer life.



Thermostat & Thermal Cut Off

Provide safety to consumer, preventing water temperature exceeding desired limit



Powerful copper heating element

These water heaters have 1000 gm superior heating element for faster heating. Achieve 45°C temperature in 2 mins



Smart energy management

Smart design with Standby cut off that consumes less electricity



CAPTIVA

Available In: 3 LTR. | Wattage: 3000W

- Incloy heating element
- Longer Tank Lifespan
- Advanced 3 level precision safety
- Shock & Rust Proof Body
- Auto Cut - Off
- Swirl Flow Technology
- 6.5 Bar pressure



LEZORA

Available In: 3 LTR. | Wattage: 3000W

- Incloy heating element
- Longer Tank Lifespan
- Advanced 3 level precision safety
- Shock & Rust Proof Body
- Auto Cut - Off
- Swirl Flow Technology
- 6.5 Bar pressure



Ultrathin Special Tank

Featuring a high-grade 304L Stainless Steel tank with a no weld line which reduces the chances of tank leakage thus providing longer life.



Thermostat & Thermal Cut Off

Provide safety to consumer, preventing water temperature exceeding desired limit



Powerful copper heating element

These water heaters have 1000 gm superior heating element for faster heating. Achieve 45°C temperature in 2 mins



Smart energy management

Smart design with Standby cut off that consumes less electricity

Powered by
IFH Technology™



INDIA'S 1st
Tankless Water Heater
Manufacturer

**GET SET
GO**

50c
**SMART
DISPLAY**



3500/4500 W



Relaxing Shower | Smart display | Compact Size
Instant Heating | Constant Temperature

Actual product may vary from the shown image.

*T&C APPLY

DIGITAL TANKLESS **WATER HEATER**

BENEFITS



Always be in control with
Smart Display



Easy to use touch
control



Compact size to suit
installation of your choice**



Get Constant **hot water**
with high powered heating
element



Save energy with
automatic power control




Overheat Protection with
automatic thermostat

Specifications

MODEL	Get Set GO
Power [W]	3500/4500
Voltage/Frequency [V/Hz]	230~/50
Rated water pressure	[N/cm ²] 2-60
	Water head (metres)] 2-61.2
Dimensions	A [mm] B [mm] C [mm]
	250 98 280
Net Weight [kg]	2*
Color	White

Note: ZADAP reserves the right to amend or modify the specifications and features at any time, as and when required without any prior notification.



INDIA'S 1st
Tankless Water Heater
Manufacturer



-  Shock & Rust Proof
-  Compact And Portable
-  Auto Power Cut Off
-  Easy To Carry
-  Time And Power Saver
-  No Extra Plumbing Required
-  Polypropylene Body

CLASSY

Available In: 1 LTR.
Wattage: 3000W



NEO

Available In: 1.5 LTR.
Wattage: 3000W



 Fitted With MCB

 Shock & Rust Proof

 Compact And Portable

 Auto Power Cut Off

 Easy To Carry

 Time And Power Saver

 No Extra Plumbing Required

 Polypropylene Body

CLASSY Pro

Available In: 1 LTR.
Wattage: 3000W



NEO Pro

Available In: 1.5 LTR.
Wattage: 3000W



CAPTAIN 1

Available In: 1 LTR.
Wattage: 3000W

-  Shock & Rust Proof
-  Compact And Portable
-  Auto Power Cut Off
-  Easy To Carry
-  Time And Power Saver
-  No Extra Plumbing Required
-  ABS Body



CAPTAIN 1 Pro

Available In: 1 LTR.
Wattage: 3000W

-  Fitted With MCB
-  Shock & Rust Proof
-  Compact And Portable
-  Auto Power Cut Off
-  Easy To Carry
-  Time And Power Saver
-  No Extra Plumbing Required
-  ABS Body

मर्दियों में गर्मी का अहमाम...



ARROW

Wattage: 1000 – 2000W

- 2 Two Heat Setting
- Special Heating Element
- 👉 Cool Touch Housing
- ⟳ Force Hot Air Circulation
- 🛡 Overheat Safety Cut-Out
- 💼 Convenient To Handle


DELTA

Wattage: 1000 – 2000W

- 2 Two Heat Setting
- Special Heating Element
- 👉 Cool Touch Housing
- ⟳ Force Hot Air Circulation
- 🛡 Overheat Safety Cut-Out
- 💼 Convenient To Handle



BLDC
Ceiling Fan




अब खुसियों की हवा चलेगी

SAVE UP TO
65%
ENERGY

We all know that if we save energy today then tomorrow energy will save us. On the basis of this concept, we developed BLDC Fan which saves upto 65% on your electricity consumption. We have a wide range of models to suit your home, schools, offices, hospitals and industrial plants etc and the same can be operated either by the regulator or by smart remote control.

ABOUT BLDC TECHNOLOGY

BLDC stands for Brushless Direct Current. BLDC motor has no mechanical brush for commutation of the windings. Commutation is deployed with the help of smart electronics. The input voltage provided is 230V AC which is converted to 24V DC by a SMPS. The fan runs internally at 24V and consumes just 32W at full speed.



ADVANTAGES


- Consistent performance even at low voltage and power fluctuation.
- Multiple speed control gives flexibility.
- No humming noise even at low speed.

POWER CONSUMPTION AT DIFFERENT SPEED

The Power Consumption Of The **BLDC** Fan Varies With The Speed At Which It Is Set.

SPEED 1	SPEED 2	SPEED 3	SPEED 4	SPEED 5	BOOST
150 RPM 1 Battery	185 RPM 2 Batteries	230 RPM 3 Batteries	290 RPM 4 Batteries	355 RPM 5 Batteries	390 RPM 6 Batteries
3 Watt	7 Watt	10 Watt	17 Watt	28 Watt	32 Watt

COMPARE WITH ORDINARY FAN



*Assumptions:

usage of 16 hours/day, for 300 days a year with electricity rate of ₹ 7/unit



Features of our Remote Controlling System

FOR 230V AC & HYBRID FAN

- Turn On/Off Fan
- Turn On/Off LED Light (0.5 W)
- Speed Switches 1 to 5
- Reverse Rotation For Hot And Cold Air Circulation
- On Speed Boost (32 Watt, 375 RPM)
- Timer Mode, Turn Off Fan After 2, 4, 6, & 8 Hour
- In Smart Mode Automatically Reduces Speed Off Fan Up to 12 Hour From Fast To Low
- Breeze Mode Mimics Natural Flow Of Air. After Every 30 Seconds Speed Will Get Automatically Changed.



Available With
Smart Remote Control

STROM

230 V AC

ACTIVE
BLDC



100% Hybrid
Copper
Motor Winding



Double Ball
Bearing



Aerodynamically
Designed Blade



Fan Light

SWEEP	NO OF BLADE	POWER	INPUT VOLTAGE (V)	RPM	AIR DELIVERY	POWER FACTOR	SERVICE VALUE
1200	3	28 Watt	110-300	390	230 CMM	0.99	7.7
900	3	26 Watt	110-300	500	230 CMM	0.99	7.1

*T&C APPLY

www.zadap.in



Use Any
Regulator

CASA

230 V AC

ACTIVE
BLDC



100% Hybrid
Copper
Motor Winding



Double Ball
Bearing



Aerodynamically
Designed Blade



HPLV
Technology

SWEEP	NO OF BLADE	POWER	INPUT VOLTAGE (V)	RPM	AIR DELIVERY	POWER FACTOR	SERVICE VALUE
1200	3	28 Watt	110-300	390	230 CMM	0.99	7.0

*T&C APPLY

www.zadap.in



Use Any
Regulator

CORAL

230 V AC



100% Hybrid
Copper
Motor Winding



Double Ball
Bearing



Aerodynamically
Designed Blade



HPLV
Technology



IVORY



ROYAL BROWN



SMOKE BROWN



WHITE

SWEEP	NO OF BLADE	POWER	INPUT VOLTAGE (V)	RPM	AIR DELIVERY	POWER FACTOR	SERVICE VALUE
1200	3	52 Watt	180-250	400	210 CMM	0.98	4.0

*T&C APPLY

www.zadap.in



HAND BLENDER

RHB - 111



- Multi-Purpose Fixed Blade
- Powerful 250W Motor
- Easy To Store & Wash
- Smooth & On/Off Push Switch
- Easy Grip Ergonomic Design
- Sleek & Strong
- 18000 RPM \pm 10%
- Elegant Design
- Wall Mountable
- Hygienic Stainless Steel Shaft & Blade



HAND BLENDER

RHB - 121 | RHB - 131 | RHB - 131 PRIME



RHB - 121 Available Colour



RHB - 131 Available Colour




RHB - 131 PRIME Available Colour



Pipe Length - 130mm

Pipe Length - 170mm

*T&C APPLY



www.zadap.in



CHOPPER

REC - 141

QUICK & EASY TO CLEAN CAN
CHOP 100+ ITEMS

- EASY TO USE
 - S.S. BLADE
 - SPLASH GUARD
 - 850ML BOWL
 - NON SLIP BASE

- CHOP**
Vegetables Evenly-no Mush

MINCE
Garlic & Herbs In Seconds

PUREE
Ingredients Into Tasty Dressings & Sauces

CHOP, MINCE OR PUREE INGREDIENTS INTO SOUPS, SAUCES, DRESSINGS, TOPPINGS, DIPS AND MORE !



HAND MIXER (BEATER)

RHM - 151

- 300 Watt Powerful Motor
 - International Sleek And Contemporary Design & Stylish
 - Easy Clean Dishwasher Safe Parts
 - Hygienic Steel Beaters For Durability & Strength
 - Hygienic Steel Dough Hooks, For Greater Versatility
 - Convenient One-Touch Beater Eject Separate Button
 - 3 Dedicated Speeds For Folding, Mixing & Whisking
 - Wall Mounting Stand For Easy To Store Hand Mixer And Beater & Dough Blades



NOTE



*T&C APPLY