



600 X 300 MM
DIGITAL WALL TILES

GLOSSY ELEVATION SERIES

sight of peace

OUR DESIGNS ARE SPECIALIZED TO INVOKE AN ATMOSPHERE OF SERENITY WHEREVER YOU CHOOSE OUR TILES TO BE. YOUR VISION OF A CALM AND TRANQUIL ABODE FULL OF VISUAL WONDER IS NOW POSSIBLE. WITNESS THE DIFFERENCE ONCE YOU LET OUR CREATIONS STEP INSIDE YOUR SPACE.

Size
600x300mm





EL-6001





EL-6002






EL-6003









EL-6006





EL-6008-(R1)



EL-6008-(R2)




EL-6008-(R3)





EL-6009






EL-6010





EL-6011





EL-6012






EL-6013







EL-6015





EL-6016






EL-6017





EL-6018






EL-6019





EL-6020





EL-6021





EL-6022





EL-6023





EL-6024





EL-6025





EL-6026





EL-6027





EL-6028





EL-6029





EL-6030





EL-6031





EL-6032





EL-6033





EL-6034





EL-6035





EL-6036



TECHNICAL SPECIFICATION

CHARACTERISTICS	EURO STANDARDS EN- 159/IS 13753	COMPANY VALUE
Dimension & Surface Quality		
 Deviation in length & width	± 0.5%	± 0.4%
 Deviation in Thickness	± 0.6 mm	± 0.5 mm
Straightness of Sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
 Surface flatness	± 0.5%	± 0.5%
 Surface quality	Min. 95%	Min. 96%
Physical properties		
Water absorption	> 10%	13-17%
Scratch (moh's) hardness	Min 3	Min.3
Moisture expansion	0.04%	0.04%
 Crazing	1 Cycle	No Crazing at 4 Cycle
Thermal Properties		
 Thermal expansion	Max - 9E -06	Conform
Thermal Shock	Resistant to 10 Cycle	Conform
Chemical Properties		
Household chemical	Min Class B	Resistant to all Acids and Alkalies & Household chemicals, expect Hydro Flouric Acid
Stilting Resistant	Min Class 2	

PACKAGING DETAIL

No.	Sizes	600 x 300 mm	300 x 300 mm
01	Thickness (mm) Approx	9.25 mm	8.00 mm
02	Weight Per Box. (Kgs.) Aprprox	14.00 KG.	11.00 KG.
03	No. of Tiles Per Box	5 Pic	9 Pic
04	Sq. Mtr. Per Box	0.9 Sq. Mtr.	0.81Sq. Mtr.