



600 X 300 MM
DIGITAL WALL TILES

**SPECIAL COLOUR
SERIES**

sight of peace




OUR DESIGNS ARE SPECIALIZED TO INVOKE AN ATMOSPHERE OF SERENITY WHEREVER YOU CHOOSE OUR TILES TO BE. YOUR VISION OF A CALM AND TRANQUIL ABODE FULL OF VISUAL WONDER IS NOW POSSIBLE. WITNESS THE DIFFERENCE ONCE YOU LET OUR CREATIONS STEP INSIDE YOUR SPACE.

Size
600x300mm




**SPECIAL COLOUR
SERIES**




SUPER WHITE



WOODEN-08



WOODEN-11



WOODEN-35



WOODEN-48



WOODEN-52



WOODEN

SPECIAL COLOUR SERIES



SUPER WHITE



BLACK-08



BLACK-11




BLACK-35



BLACK-48



BLACK-52




BLACK


SPECIAL COLOUR SERIES



SUPER WHITE



YELLOW-08



YELLOW-11



YELLOW-35



YELLOW-48



YELLOW-52



YELLOW


**SPECIAL COLOUR
SERIES**



SUPER WHITE



RED BROWN-08



RED BROWN-11



RED BROWN-35



RED BROWN-48



RED BROWN-52




RED BROWN


**SPECIAL COLOUR
SERIES**



SUPER WHITE



GREEN-08



GREEN-11



GREEN-35



GREEN-48



GREEN-52



GREEN

**SUPER SPECIAL
COLOUR SERIES**



SUPER WHITE

100gsm 120gsm

**SUPER SPECIAL
COLOUR SERIES**



SUPER WHITE



ORANGE-08



ORANGE-11



ORANGE-35



ORANGE-48



ORANGE-52



ORANGE

TECHNICAL SPECIFICATION

CHARACTERISTICS	EURO STANDARDS EN- 1591S 13753	COMPANY VALUE
Dimension & Surface Quality		
■ Deviation in length & width	± 0.5%	± 0.4%
■ Deviation in Thickness	± 0.6 mm	± 0.5 mm
■ Straightness of Sides	± 0.3%	± 0.2%
■ Rectangularity	± 0.5%	± 0.3%
■ Surface flatness	± 0.5%	± 0.5%
■ Surface quality	Min. 95%	Min. 96%
Physical properties		
Water absorption	> 10%	13-17%
Scratch (moh's) hardness	Min 3	Min.3
Moisture expansion	0.04%	0.04%
■ Crazing	1 Cycle	No Crazing at 4 Cycle
Thermal Properties		
■ Thermal expansion	Max - 9E -06	Conform
Thermal Shock	Resistant to 10 Cycle	Conform
Chemical Properties		
Household chemical	Min Class B	Resistant to all Acids and Alkalies & Household chemicals, except Hydro Flouric Acid
Stilting Resistant	Min Class 2	

PACKAGING DETAIL

No.	Sizes	600 x 300 mm	300 x 300 mm
01	Thickness (mm) Approx	9.25 mm	8.00 mm
02	Weight Per Box. (Kgs.) Aprrox	14.00 KG.	11.00 KG.
03	No. of Tiles Per Box	5 Pic	9 Pic
04	Sq. Mtr. Per Box	0.9 Sq. Mtr.	0.81 Sq. Mtr.